



Valero Marketing and Supply Company
Nitration Grade Toluene
Product Specification

<u>Property</u>	<u>Specification</u>	<u>ASTM Test Method</u>
Nonaromatic hydrocarbons, max, volume % (wt%)	1.5 (1.2)	D2360 or D7504
Purity, min. wt%	98.8	D2360 or D7504
Acid wash color, max	2.0 max	D848
Copper Corrosion	1A or 1B	D849
Appearance	Clear liquid free of Sediment and haze when observed at 18.3 to 25.6 degree C	
Color, PT/CO scale, max	20 max	D1209 or D5386