



Monitorización de Áreas Inmediatas por Benceno



* El nivel de acción de la EPA no se trata de un límite de reglamentación ni de un nivel de exposición basado en la salud, sino que sirve como un nivel de acción para llevar a cabo investigaciones adicionales.

Houston Benzene Concentrations (µg/m3) at Sampling Locations																										
Sampling Location	Compliance Event 166	Compliance Event 167	Compliance Event 168	Compliance Event 169	Compliance Event 170	Compliance Event 171	Compliance Event 172	Compliance Event 173	Compliance Event 174	Compliance Event 175	Compliance Event 176	Compliance Event 177	Compliance Event 178	Compliance Event 179	Compliance Event 180	Compliance Event 181	Compliance Event 182	Compliance Event 183	Compliance Event 184	Compliance Event 185	Compliance Event 186	Compliance Event 187	Compliance Event 188	Compliance Event 189	Compliance Event 190	Compliance Event 191
	5/29/2024	6/12/2024	6/26/2024	7/10/2024	7/24/2024	8/7/2024	8/21/2024	9/4/2024	9/18/2024	10/2/2024	10/16/2024	10/30/2024	11/13/2024	11/26/2024	12/10/2024	12/23/2024	1/7/2025	1/22/2025	2/5/2025	2/19/2025	3/5/2025	3/19/2025	4/2/2025	4/16/2025	4/30/2025	5/14/2025
	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³
HO1	2.69	3.31	1.94	2.68	1.83	1.57	3.30	1.59	1.81	2.63	2.84	2.68	2.23	2.57	2.41	2.06	2.24	2.38	2.39	2.53	1.30	1.93	1.79	1.40	1.99	1.63
HO2	2.51	3.26	1.77	2.42	1.60	1.61	3.21	1.69	1.68	2.53	2.89	2.39	2.34	2.45	2.38	1.84	1.82	2.25	1.45	1.94	1.13	2.20	1.74	1.51	1.67	1.64
HO3	1.65	2.17	1.21	2.04	0.94	1.19	2.42	1.66	1.40	2.47	1.93	2.12	2.05	2.27	1.84	1.46	1.83	1.53	1.27	1.40	0.74	1.30	1.23	0.62	1.27	0.78
HO4	2.11	3.20	1.74	2.66	1.61	1.84	3.81	2.75	1.92	3.36	2.91	2.63	2.46	3.24	2.35	2.05	2.91	2.19	1.63	2.24	0.90	1.75	1.71	0.91	2.01	1.19
HO5	1.92	2.43	2.49	3.62	2.18	3.73	2.41	1.96	2.23	2.88	2.27	2.17	2.63	2.45	2.40	1.81	2.09	2.83	1.43	2.17	1.99	1.74	1.79	0.71	1.48	1.01
HO6	2.75	3.81	1.93	2.95	1.86	1.83	3.91	2.58	2.19	3.19	3.34	3.00	2.70	2.67	3.42	2.62	2.32	2.57	1.93	2.80	1.24	2.59	1.96	1.71	1.99	1.80
HO7	2.44	2.79	3.00	3.74	2.40	2.64	2.72	2.31	2.65	3.29	2.62	2.63	2.70	2.70	2.48	2.37	2.84	2.44	1.82	2.67	1.69	2.49	2.41	1.07	2.25	1.45
HO8	2.16	2.83	2.71	2.14	1.80	2.10	2.32	1.97	2.25	2.86	2.54	2.78	2.86	2.76	2.73	2.37	3.57	2.64	2.67	3.49	2.39	2.45	2.97	1.02	2.26	1.28
HO9	1.89	2.30	2.05	2.51	1.71	1.93	2.38	1.78	1.84	3.39	2.51	2.54	2.16	3.21	2.28	1.64	1.79	3.05	2.48	2.74	1.53	1.76	1.66	0.77	1.33	0.98
HO10	2.57	2.85	4.05	5.66	3.64	3.54	2.84	2.21	2.01	2.97	3.21	2.99	2.54	3.16	2.39	3.27	2.64	3.08	3.49	2.59	2.63	2.87	2.57	2.58	2.43	3.20
HO11	2.10	1.77	1.95	2.70	2.11	1.82	2.07	1.70	1.69	1.95	2.19	1.82	2.12	1.88	2.17	1.68	1.63	2.43	1.79	2.05	1.88	1.91	2.08	1.97	1.81	1.98
HO12	3.07	3.19	3.60	3.87	3.28	2.68	2.46	1.28	1.99	2.82	3.23	2.52	2.52	3.22	2.63	2.13	1.86	3.21	3.63	2.41	2.64	2.52	2.51	2.55	2.46	3.77
HO13	2.21	1.93	1.59	2.52	1.89	2.15	1.95	1.16	1.46	1.73	2.25	1.90	2.14	1.95	2.19	1.63	1.65	2.16	2.27	1.78	1.70	1.61	2.02	1.56	1.41	2.01
HO14	1.63	1.63	0.99	1.94	1.07	2.17	1.85	0.96	1.40	1.38	1.68	1.53	1.75	1.39	1.93	1.26	1.31	1.76	1.09	1.51	1.07	1.28	1.16	2.15	1.54	3.33
HO15	1.43	1.60	1.12	1.91	1.14	3.08	1.56	1.08	1.35	1.35	1.79	1.41	1.58	1.52	1.60	1.21	1.17	1.63	1.35	1.37	1.55	1.33	1.30	0.86	0.89	1.01
HO16	1.60	1.75	1.23	1.98	1.12	1.04	1.99	1.21	1.39	1.90	1.70	1.75	1.43	1.75	1.61	1.27	1.31	1.65	1.14	1.63	1.19	1.11	1.30	0.77	1.09	0.85
HO17	2.10	2.41	1.50	2.06	1.44	1.51	2.61	1.39	1.59	2.29	2.48	2.21	1.93	2.27	2.32	1.61	1.79	2.07	1.66	2.10	1.05	1.39	1.52	1.06	1.66	1.21
MAX	3.07	3.81	4.05	5.66	3.64	3.73	3.91	2.75	2.65	3.39	3.34	3.00	2.86	3.24	3.42	3.27	3.57	3.21	3.63	3.49	2.64	2.87	2.97	2.58	2.46	3.77
MIN	1.43	1.60	0.99	1.91	0.94	1.04	1.56	0.96	1.35	1.35	1.68	1.41	1.43	1.39	1.60	1.21	1.17	1.53	1.09	1.37	0.74	1.11	1.16	0.62	0.89	0.78
DELTA	1.64	2.21	3.06	3.75	2.70	2.69	2.35	1.79	1.30	2.04	1.66	1.59	1.43	1.85	1.82	2.06	2.40	1.68	2.54	2.12	1.90	1.76	1.81	1.96	1.57	2.99
AVG DELTA	2.06	2.08	2.07	2.01	1.97	1.96	1.90	1.90	1.91	1.94	1.90	1.92	1.88	1.90	1.90	1.91	1.92	1.93	1.97	1.95	1.98	2.01	2.04	2.05	2.05	2.10