SAFETY DATA SHEET



1. Identification

Product identifier 40-100 and Light Pale Oil

Other means of identification

SDS number 503

Product code 40, 60, 100 and Light Pale Oil

Synonyms 40 Pale Oil, 60 Pale Oil, 100 Pale Oil and Light Pale Oil

Recommended use Not available.
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer/Supplier Valero Marketing & Supply Company and Affiliates

One Valero Way

San Antonio, TX 78269-6000

General Assistance 210-345-4593

E-Mail CorpHSE@valero.com
Contact Person Industrial Hygienist

Emergency Telephone 24 Hour Emergency 866-565-5220

1-800-424-9300 (CHEMTREC USA)

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Aspiration hazard Category 1

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement May be fatal if swallowed and enters airways.

Precautionary statement

Prevention Wear protective gloves/protective clothing/eye protection/face protection.

Response Not available.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	100
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6	100

40-100 and Light Pale Oil

918040 Version #: 04 Revison date: 11-November-2015 Print date: 11-November-2015 1 / 7

4. First-aid measures

Inhalation If symptomatic, move to fresh air. Get medical attention if symptoms persist.

Skin contact Remove contaminated clothing and shoes. Wash off immediately with soap and plenty of water.

Get medical attention if irritation develops or persists. Wash clothing separately before reuse.

Destroy or thoroughly clean contaminated shoes.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if symptoms occur.

Call a physician or poison control center immediately. Rinse mouth. Never give anything by mouth Ingestion

to an unconscious person. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content does not get into the lungs. Aspiration may cause pulmonary edema and

pneumonitis.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

Treat symptomatically. Symptoms may be delayed.

May be fatal if swallowed and enters airways.

General information Get medical attention if symptoms occur. Wash contaminated clothing before re-use.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water spray. Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Not available.

Specific hazards arising from

the chemical

Not applicable.

Special protective equipment

and precautions for firefighters

Not available.

Fire fighting equipment/instructions Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid breathing mist or vapor. Wear appropriate personal protective equipment (See Section 8).

Methods and materials for containment and cleaning up

Absorb spill with vermiculite or other inert material, then place in a sealed container for chemical waste.

Large Spills: Flush area with water. Prevent runoff from entering drains, sewers, or streams. Dike for later disposal.

7. Handling and storage

Precautions for safe handling

Use only outdoors or in a well-ventilated area. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Observe good industrial hygiene

Conditions for safe storage, including any incompatibilities Store locked up. Store in a well-ventilated place. Keep container tightly closed.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	PEL	5 mg/m3	Mist.	
		2000 mg/m3		
		500 ppm		

40-100 and Light Pale Oil

2/7 918040 Version #: 04 Revison date: 11-November-2015 Print date: 11-November-2015

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	PEL	5 mg/m3	Mist.
		2000 mg/m3	
		500 ppm	

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	Inhalable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	Ceiling	1800 mg/m3	
	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	Ceiling	1800 mg/m3	
,	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines No exposure standards allocated.

Ensure adequate ventilation, especially in confined areas. Appropriate engineering

controls

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Wear protective gloves. Hand protection

Skin protection

Wear chemical-resistant gloves, footwear and protective clothing appropriate for risk of exposure. Other

Contact glove manufacturer for specific information.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America. if respirators are used, a program should be instituted to assure compliance with OSHA 29 CFR 1910.134. Respirator type: Use NIOSH approved respirator with organic vapor/acid gas protection.

3/7

Thermal hazards When material is heated, wear gloves to protect against thermal burns.

General hygiene

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective considerations

equipment to remove contaminants.

9. Physical and chemical properties

Oily, viscous liquid. **Appearance**

40-100 and Light Pale Oil

918040 Version #: 04 Revison date: 11-November-2015 Print date: 11-November-2015

Physical state Liquid. Liquid. **Form**

Color Water white to pale straw.

Petroleum-like. Odor **Odor threshold** Not available. Not available.

Melting point/freezing point -65 - -44 °F (-53.89 - -42.22 °C)

Initial boiling point and boiling

range

> 446 °F (> 230 °C)

> 288.0 °F (> 142.2 °C) Pensky-Martens Closed Cup Flash point

Evaporation rate Not available. Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits Flammability limit - lower Not available.

(%)

Flammability limit - upper

(%)

Not available.

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available. 0.16 kPa Vapor pressure Vapor density Not available. Relative density Not available.

Solubility(ies)

Insoluble Solubility (water) Partition coefficient > 6

(n-octanol/water)

Auto-ignition temperature

> 518 °F (> 270 °C)

Decomposition temperature > 536 °F (> 280 °C) **Viscosity** Not available.

Other information

Density 902.00 - 910.00 kg/m3 at 59°F (15°C)

3.7 - 22 cSt Kinematic viscosity Kinematic viscosity 104 °F (40 °C)

temperature

Conditions to avoid

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. **Chemical stability** Hazardous polymerization does not occur. Possibility of hazardous

reactions

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation May be fatal if swallowed and enters airways.

Excessive heat.

Skin contact Based on available data, the classification criteria are not met. Eye contact Based on available data, the classification criteria are not met.

May be fatal if swallowed and enters airways. Ingestion

40-100 and Light Pale Oil

Revison date: 11-November-2015 Print date: 11-November-2015 918040 Version #: 04

4/7

Symptoms related to theSwallowing or vomiting of the liquid may result in aspiration into the lungs.

physical, chemical and toxicological characteristics

Information on toxicological effects

Acute toxicity May be fatal if swallowed and enters airways.

Components Species Test Results

Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)

Acute

Inhalation

LD50 Rat 2.81 mg/l

Skin corrosion/irritationNot available.Serious eye damage/eyeNot available.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not assigned.
Skin sensitization Not assigned.
Germ cell mutagenicity Not assigned.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Petroleum

components contained in this product meet the IP 346 criteria of less than 3 percent

DMSO-extractable components.

IARC Monographs. Overall Evaluation of Carcinogenicity

Distillates (petroleum), hydrotreated heavy naphthenic 3 Not classifiable as to carcinogenicity to humans.

(CAS 64742-52-5)

Distillates (petroleum), hydrotreated light naphthenic 3 Not classifiable as to carcinogenicity to humans.

(CAS 64742-53-6)

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Reproductive toxicity Not assigned.

Specific target organ toxicity - Not assigned.

single exposure

Specific target organ toxicity - Not assigned.

repeated exposure

Aspiration hazard May be fatal if swallowed and enters airways.

12. Ecological information

Ecotoxicity This material has not been tested for environmental effects.

Persistence and degradability No data available.

Bioaccumulative potential Has the potential to bioaccumulate.

Partition coefficient n-octanol / water (log Kow)

40-100 and Light Pale Oil > 6

Mobility in soilNot available.Other adverse effectsNot available.

13. Disposal considerations

Disposal instructions Dispose of contents/container in accordance with local/regional/national/international regulations.

When this product as supplied is to be discarded as waste, it does not meet the definition of a

RCRA waste under 40 CFR 261.

Hazardous waste code Not regulated.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

40-100 and Light Pale Oil

918040 Version #: 04 Revison date: 11-November-2015 Print date: 11-November-2015 5 / 7

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not applicable. However, this product is a liquid and if transported in bulk covered under

MARPOL 73/78, Annex Í.

the IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)

US. New Jersey Worker and Community Right-to-Know Act

Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes

40-100 and Light Pale Oil

918040 Version #: 04 Revison date: 11-November-2015 Print date: 11-November-2015 6 / 7

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes

Europe European List of Notified Chemical Substances (ELINCS) No Japan Inventory of Existing and New Chemical Substances (ENCS) No Korea Existing Chemicals List (ECL) Yes New Zealand New Zealand Inventory Yes **Philippines** Philippine Inventory of Chemicals and Chemical Substances Yes

(PICCS)

Toxic Substances Control Act (TSCA) Inventory

United States & Puerto Rico *A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

16. Other information, including date of preparation or last revision

16-January-2014 Issue date 11-November-2015 **Revision date**

Version # 04

References EPA: AQUIRE database

US. IARC Monographs on Occupational Exposures to Chemical Agents

HSDB® - Hazardous Substances Data Bank

National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Disclaimer This material Safety Data Sheet (SDS) was prepared in accordance with 29 CFR 1910.1200 by

Valero Marketing & Supply Co., ("VALERO"). VALERO does not assume any liability arising out of product use by others. The information, recommendations, and suggestions presented in this SDS are based upon test results and data believed to be reliable. The end user of the product has the responsibility for evaluating the adequacy of the data under the conditions of use, determining the safety, toxicity and suitability of the product under these conditions, and obtaining additional or clarifying information where uncertainty exists. No guarantee expressed or implied is made as to the effects of such use, the results to be obtained, or the safety and toxicity of the product in any specific application. Furthermore, the information herein is not represented as absolutely

Yes

complete, since it is not practicable to provide all the scientific and study information in the format of this document, plus additional information may be necessary under exceptional conditions of

use, or because of applicable laws or government regulations.

7/7 918040 Version #: 04 Revison date: 11-November-2015 Print date: 11-November-2015

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).